

IN THE CLAIMS

11. (canceled)

12. (canceled)

13. (presently amended) A tent with at least one extendable window designed to increase usable space in the tent comprising: The tent of claim 11, wherein:

a main structure including a plurality of walls oriented at a first angle with respect to a vertical reference; and

at least one window including a frame and screen extendable to a second angle with respect to a vertical reference, where the second angle is less than the first angle and the extended window is substantially vertical;

whereby the tent has increased usable space when the window is extended;

wherein the frame includes a flexible pole; and

wherein the frame includes a sleeve into which the pole is positioned.

14. (presently amended) A tent with at least one extendable window designed to increase usable space in the tent comprising: The tent of claim 12, wherein:

a main structure including a plurality of walls oriented at a first angle with respect to a vertical reference; and

at least one window including a frame and screen extendable to a second angle with respect to a vertical reference, where the second angle is less than the first angle and the extended window is substantially vertical;

whereby the tent has increased usable space when the window is extended;

wherein the window includes an awning coupled to the main structure and the frame, and configured to hold the window in an extended orientation;

wherein the frame includes a flexible pole; and

wherein the frame includes a sleeve into which the pole is positioned.

15. (canceled)

NRTH-P109

Resp. to 2004-03-05 O.A.

2

**BEST AVAILABLE COPY**

Scr. No. 10/086,514

16. (original) The tent of claim 14, wherein:  
the awning is configured to hold the window frame in a substantially vertical orientation.
17. (canceled)
18. (canceled)
19. (original) The tent of claim 13, wherein:  
a lower attachment seam at a location below the midline of the main structure where a lower edge of the window attaches to the wall of the tent, which acts as a hinge mechanism, allowing the window to extend or retract.
20. (original) The tent of claim 14, wherein:  
a lower attachment seam at a location below the midline of the main structure where a lower edge of the window attaches to the wall of the tent, which acts as a hinge mechanism, allowing the window to extend or retract.
21. (canceled)
22. (original) The tent of claim 16, wherein:  
a lower attachment seam at a location below the midline of the main structure where a lower edge of the window attaches to the wall of the tent, which acts as a hinge mechanism, allowing the window to extend or retract.
23. (canceled)
24. (canceled)
25. (original) The tent of claim 13, wherein:  
the window includes a flap configured to selectively cover the window.

**BEST AVAILABLE COPY**

NRTH-P109

3

Ser. No. 10/086,514

Resp. to 2004-03-05 O.A.

26. (original) The tent of claim 14, wherein:  
the window includes a flap configured to selectively cover the window.
27. (canceled)
28. (original) The tent of claim 16, wherein:  
the window includes a flap configured to selectively cover the window.
29. (canceled)
30. (presently amended) A tent with extendable windows designed to increase usable space in the tent comprising: The tent of claim 29, wherein:  
a main structure including a plurality of walls oriented at a first angle with respect to a vertical reference; and  
a plurality of windows each including an awning, frame and single screen extendable to a substantially vertical orientation;  
whereby the tent has increased usable space when the windows are extended;  
wherein the frame includes a flexible pole; and  
wherein the frame includes a sleeve into which the pole is positioned.

**BEST AVAILABLE COPY**

NRTH-P109  
Resp. to 2004-03-05 O.A.

4

Scr. No. 10/086,514